Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	289	((register) adj decoder).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/07/05 13:31
L3	53	(((register) adj decoder) and command).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 13:32
L6	5	(((register) adj decoder) and ((command) near2 (pin pad port terminal connection contact))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 13:33

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	706	((address register command) adj decod\$4) same (test with (pattern vector sequence operation topologies))	US-PGPUB; USPAT	OR	ON	2007/07/03 16:51
S2	270	S1 and (("714"/\$.ccls.) ("324"/\$.ccls.))	US-PGPUB; USPAT	OR	ON	2007/06/16 16:21
S3	152	S2 and (test near2 (operation mode setting)) and (normal near2 (operation mode setting))	US-PGPUB; USPAT	OR	ON	2007/06/16 16:21
S4	1	"5640509".pn.	US-PGPUB; USPAT	OR	ON	2007/06/16 16:11
S5	1	"7188291 ".pn.	US-PGPUB; USPAT	OR	ON	2007/06/16 16:14
S6	1	"7039544 ".pn.	US-PGPUB; USPAT	OR	ON	2007/06/16 16:16
S7	1	"7191085".pn.	US-PGPUB; USPAT	OR	ON	2007/06/16 16:16
S8	1	((register and command) adj decod\$4) same (test with (pattern vector sequence operation topologies))	US-PGPUB; USPAT	OR	ON	2007/06/16 16:21
S9	41	((register) adj decod\$4) same (test with (pattern vector sequence operation topologies))	US-PGPUB; USPAT	OR	ON	2007/06/16 16:21
S10	24	S9 and (("714"/\$.ccls.) ("324"/\$.ccls.))	US-PGPUB; USPAT	OR	ON	2007/06/16 16:21
S11	25	S9 and (test near2 (operation mode setting)) and (normal near2 (operation mode setting))	US-PGPUB; USPAT	OR	ON	2007/06/16 16:22
S12	14	S10 and S11	US-PGPUB; USPAT	OR	ON	2007/06/16 16:22
S13	1468	(register adj decoder)	US-PGPUB; USPAT	OR	ON	2007/06/18 16:47
S14	16	S13 same (test with (pattern vector sequence topologies))	US-PGPUB; USPAT	OR .	ON	2007/06/18 17:00
S15	1	"20020049946".pn.	US-PGPUB; USPAT	OR	ON	2007/06/18 17:00
S16	1925	(decoder with (command near2 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:17

S17	10	S16 and ((auxiliary secondary test tesing tested special register) adj (command adj decoder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:13
S18	89	(command and register) adj decoder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:12
S19	486	data adj topologies	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:01
S20	15	S16 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2007/06/18 18:24
S21	6	S16 same (test with (vector sequence pattern topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:25
S22	18	(decoder with (command near6 input)) same (test with (pattern vector sequence topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:50
S23	12	S22 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:29
S24	266	(decoder with (command near6 input)) and (test with (pattern vector sequence topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/18 18:59

S25	604	(decoder with (command near6 input)) and (test with (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2007/06/18 19:03
			DERWENT; IBM_TDB	:		
S26	47907	(sav\$3 hold\$3 stor\$3) same (test with (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:04
S27	197	S25 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:05
S28	23114	(sav\$3 hold\$3 stor\$3) with (test with (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:04
S29	132	S25 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:05
S30	27	S29 and (("714"/\$.ccls.) ("324"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:05
S31	3404	(decoder with (command near6 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:18
S32	2816	(decoder with (command near4 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:21

S33	1369	S32 and (not (command adj decoder))	US-PGPUB; USPAT;	OR	ON	2007/06/18 19:21
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S34	1369	S32 not (command adj decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:21
S35	1114	S32 same (pattern vector sequence operation topologies topolog\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:22
\$36	55	S32 same (test with (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:12
S37	72	S32 same (test and (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:12
S38	17	S37 not S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 19:45
S39	2818	(decoder with (command near4 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:12
S40	97	S39 same ((test\$3 verif\$4) and (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:15

S41	65	S39 same ((test\$3 verif\$4) with (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:13
S42	1926	(decoder with (command near2 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:14
S43	38	S42 and ((plural\$4 auxiliary secondary second test testing tested special register) adj (command adj decoder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/19 10:14
S44	65	S39 same ((test\$3 verif\$4) with (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:15
S45	97	S39 same ((test\$3 verif\$4) and (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/19 11:06
S46	843	((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) same (decoder decoding decode) same (test\$3 verif\$4) same (pattern vector sequence topologies topolog\$4 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/19 10:25
S47	475	(((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode)) same (test\$3 verif\$4) same (pattern vector sequence topologies topolog\$4 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:32

S48	2648	(((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode)) and ((test\$3 verif\$4) with (pattern vector sequence topologies topolog\$4 operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:29
S49	6513	(((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode)) and ((decoder decoding decode) with (pattern vector sequence topologies topolog\$4 operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:31
S51	326	(((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode)) same ((test\$3 verif\$4) with (pattern vector sequence topologies topolog\$4 operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:33
S52	81	S51 and (("714"/\$.ccls.) ("324"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:35
S53	63	S52 not (S43 S44 S45)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:35
S54	126	S45 S44 S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:07
S55	72	S39 same (test and (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:09

S56	55	S39 same (test with (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:09
S57	54	S54 not (S55 S56)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:09
S58	12411	(((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:30
S59	51039	(decoder decoding decode) with (select selecting selected select\$4 choose choosing chose pick picking picked pick\$4 identif\$5 write writing read reading writ\$4 read\$4 address addressing addresses address\$4) with (pattern vector sequence operation topologies topolog\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:35
S60	4339	S58 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:36
S61	1203	(decoder decoding decode) with (select selecting selected select\$4 choose choosing chose pick picking picked pick\$4 identif\$5) with (pattern vector sequence operation topologies topolog\$4) with (test\$4 verif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:40
S62	141	S58 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:40
S63	2818	(decoder with (command near4 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:37

					,	
S64	1926	(decoder with (command near2 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:37
S65	. 38	S64 and ((plural\$4 auxiliary secondary second test testing tested special register) adj (command adj decoder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/19 11:37
S66	65	S63 same ((test\$3 verif\$4) with (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:37
S67	97	S63 same ((test\$3 verif\$4) and (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:37
S68	126	S67 S66 S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:37
S69	119	S62 not S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:50
S75	12411	(((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:05
S76	1203	(decoder decoding decode) with (select selecting selected select\$4 choose choosing chose pick picking picked pick\$4 identif\$5) with (pattern vector sequence operation topologies topolog\$4) with (test\$4 verif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:05

S77	141	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:07
S78	2818	(decoder with (command near4 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:05
S79	1926	(decoder with (command near2 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:05
S80	38	S79 and ((plural\$4 auxiliary secondary second test testing tested special register) adj (command adj decoder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:05
S81	65	S78 same ((test\$3 verif\$4) with (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:05
S82	97	S78 same ((test\$3 verif\$4) and (pattern vector sequence operation topologies topolog\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/06/19 12:05
S83	126	S82 S81 S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:05
S84	119	S77 not S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 17:46

S98	89	(command and register) adj decoder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 17:56
S99	10	S98 and (("714"/\$.ccls.) ("324"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/03 17:54
S10 0	10	((command and register) adj decoder).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 13:31

7/5/2007 1:37:04 PM C:\Documents and Settings\sradosevich\My Documents\EAST\Workspaces\10-619157.wsp Page 11

S85	468	(decoder decoding decode) with (select selecting selected select\$4 choose choosing chose pick picking picked pick\$4 identif\$5) with (pattern vector sequence topologies topolog\$4) with (test\$4 verif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/19 12:06
S86	44	S75 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/19 12:07
S87	38	S86 not S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:08
S88	216	(decoder decode decoding) same ((test\$4 verif\$4) with (pattern vector sequence operation topolog\$4)) same ((command near2 (terminal pin pad port input output)) ((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3))))	US-PGPUB; USPAT	OR	ON	2007/06/21 07:17
S89	43	S88 and (("714"/\$.ccls.) ("342"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/06/21 07:03
S90	173	S88 not S89	US-PGPUB; USPAT	OR	ON	2007/06/21 07:17
S91	1	"5317720".pn.	US-PGPUB; USPAT	OR	ON	2007/07/03 16:53
S92	1	"6256681".pn.	US-PGPUB; USPAT	OR	ON	2007/07/03 16:54
S93	. 1	"20010030888".pn.	US-PGPUB; USPAT	OR	ON	2007/07/03 16:55
S94	0	"1998185088".pn.	US-PGPUB; USPAT	OR	ON	2007/07/03 16:55
S95	1	"5745403".pn.	US-PGPUB; USPAT	OR	ON	2007/07/03 16:56
S96	1	"5555214".pn.	US-PGPUB; USPAT	OR	ON	2007/07/03 16:59
S97	1	"5640509".pn.	US-PGPUB; USPAT	OR	ON	2007/07/03 16:59